

## LAB 2

### Semi-Automatic Decoding

EXPERIMENT 2.1. You can write your own functions in Mathematica. For example, `MyNewFunction[x_]:=x+5` makes a new function called `MyNewFunction`.

- (a) What does `MyNewFunction` do?
- (b) Write a function that triples a number  $y$  that is given to it.
- (c) Write a function that takes a collection of letters and replaces all a's with b's.

EXPERIMENT 2.2. The function `Mod` takes two parameters. Give it some numbers to see what it does.

EXPERIMENT 2.3. What do the following commands do?

- (a) `ToCharacterCode["abcd"]`
- (b) `ToCharacterCode["abcd"]-97`
- (c) `Mod[ToCharacterCode["abcd"]-97+5, 26]`
- (d) `FromCharacterCode[{104, 101, 108, 108, 111}]`

PROBLEM 2.4. Let's put all this together:

- (a) Write a function `DeCaesar3` that decodes text from a 3-letter Caesar cipher.

- (b) Use it to decode "iulhqgv, urpdqv, frxqwubphq, ohqg ph brxu hduv; l frph wr exub fdhvdu, qrw wr sudlvh klp."
  - (c) What would improve DeCaesar3?

PROBLEM 2.5. Write a function `DeCaesar` that takes two parameters: the shift and the ciphertext (don't worry about the glitch from Problem 2.4). Use the following command to quickly decipher the text:

```
Manipulate[DeCaesar[n,"juu pjdu rb mrermnm rwcx cqann yjacb,xwn  
xo fqrlq cqn knupjn rwqjkrc,cqn jzdrcjwr jwxcqna,cqxbn fqx rw cqnra  
xwf ujwpdjpn jan ljuum lnucb,rw xda pjdub,cqn cqramp.juu cqnbn mroona  
oaxv njlq xcqna rw ujwpdjpn,ldbcxvb jwm ujfb."],{n,0,25,1}]
```

to quickly decipher the text. Who is the author?